

111 11

*The complete pressure seal solution...* **Equipment & Documents** *all in one package.* 

> SOLUTIONS FOR BUSINESS, FINANCIAL, GOVERNMENT, & EDUCATION MARKETS

# Accessories For Your PSMailers Equipment

Sound Cover For PSM Models 5000, 7000 & 10K (includes 1 front and 1 back cover per set)



#### Sound Cover Benefits:

- Provides extra safety for machine operation and performance.
- Reduces decibel level of equipment, enhancing work areas situated close to equipment.
- Higher speeds = louder operations. Sound covers are a **must** for high speed units.
- Protects rollers from dust and debris when not in use.

## **Cleaning Kit**



These complete kits feature PSMailers recommended premium-quality products in one convenient, affordable package. Clean, condition, and protect your equipment investment (parts may vary depending on model).

## Table of Contents

PSMailers Checks and Forms2-3
Low Volume Applications
Low/Medium Volume Applications6
Medium Volume Applications7
High Volume Applications8
Specialty & In-Line ModelsInside Back Cover

### **PSM**ailers... **The Complete Solution**

**PSM***ailers* pressure seal self-mailer is designed to **fold**, **seal**, **and mail in much less time than conventional printing and mailing processes.** There are a variety of **PSM***ailers* models to choose from, one for every size or volume business.

Everything you need is in one complete package: pressure seal documents and equipment. Whether you use **PSM***ailers* for payroll and/or report processing, accounting, billing, direct mail or one of the many other applications, you'll see a difference almost immediately in cost savings, greater productivity and more versatile document capabilities.

### **PSM**ailers Checks & Forms

Checks and forms are available in most popular fold types and are *guaranteed* to work with our equipment. **PSM***ailers* checks offer a wide variety of security features to prevent fraud and are Check 21 compliant.

### **PSM**ailers Fold Styles

There are six fold styles giving you virtually unlimited options for the various applications your business demands:

- The versatile Z-Fold, the most popular (Z)
- The Eccentric Z-Fold (EZ)
- The C-Fold (C)
- The Eccentric C-Fold (EC)
- The V-Fold (V)
- The Z-Fold, extra voucher (ZX)

**PSMailers**<sup>®</sup>

# CHECKS & FORMS STOCK PROGRAM

1	8	NEW		NEW		Item Number			" x 11" Checks a Description		Color
	<b>a</b> .			-		WLPSCSTKVBL	11″	C-Fold	Check Void Panto Blue	28DC	Blue 281
	i.					WLPSCSTKVBLB	11 ″	C-Fold	Check Void Panto Blue Basic	28M	Blue 281
						WLPSCSTKWH	11″	C-Fold	Blank Check, One Blockout	28DC	
III VOIR VOIR VOIR VO	111	1				NEW WLPSCSTKWDOS	11 ″	C-Fold	Check, Blue, Window, One Blue Blockout	28M	Reflex Blue
C-Fold Check		<u> </u>	·····			WLPSCSTKWHFMS	11 ″	C-Fold	Form, Slide Open, Two Blockouts	28M	
8.5″ x 11″		V-Fold –	· 8.5″ x 11″ (	C-Fold –	8.5″ x 11″	WLPSVSTKWH	11″	V-Fold	Form, One Blockout	28M	
0.0 X						NEW WLPSVSTKWHO	11″	V-Fold	Form, No Blockout	28M	
1 10 10 10 10 10 10			EW TO DO DO DO DO	IEW		NEW WLPSVSTKGY	11″	V-Fold	Form, Blank Front, Two Gray Blockouts w/ Address Space	28M	
						WLPSZSTKVBL	11″	Z-Fold	Check Void Panto Blue	24DC	Blue 281
						WLPSZSTKVBY	11″	Z-Fold	Check Void Panto Burgundy	24DC	Burgundy 2
				i.	1	WLPSZSTKVTL	11″	Z-Fold	Check Void Panto Teal	24DC	Teal 328
	9 19-19-19		been need		a ann	WLPSZSTKWH	11″	Z-Fold	Blank Check, Two Blockouts	24DC	
						WLPSZSTKBGB28	11″	Z-Fold	Check Void Panto Prismatic, Blue/Green/Blue	28TF	Blue 293/ Green 328 Blue 293
Z-Fold Check – 8.5 " 2	x 11″		Z-Fold – 8.5 '	x 11"		WLPSZSTKBRB28	11″	Z-Fold	Check Void Panto Prismatic, Blue/Red/Blue	28TF	Process Blu Red 185/ Process Blu
				1		WLPSZSTKVBL28	11″	Z-Fold	Check Void Panto Blue	28TF	Blue 281
					1	WLPSZSTKVBY28	11″	Z-Fold	Check Void Panto Burgundy	28TF	Burgundy 2
		-		1	1	WLPSZSTKVTL28	11″	Z-Fold	Check Void Panto Teal	28TF	Teal 328
<u>.</u> i				-		WLPSZSTKWH28	11″	Z-Fold	Blank Check with Backer	28TF	
-	-			2	2	WLPSZSTKVBLB	11″	Z-Fold	Check Void Panto, Blue Basic	28M	Blue 281
		-	an an an an	LINCOLE	. 104 . 104 . 10. 10. 14. <sup>1</sup>	NEW WLPSZSTKGN28FM	11″	Z-Fold	Form, Green Screen Front, Two Green Blockouts	28M	Green 348
Con na <u>na na ma</u> na ita	12.2					NEW WLPSZSTKBL28FM	11 ″	Z-Fold	Form, Blue Screen Front, Two Blue Blockouts	28M	Reflex Blue
		7.F	old – 8.5″ x 14″	Z-Fold	l – 8.5″ x 14″	WLPSZSTKWH28FM	11″	Z-Fold	Form, Blank, Two Blockouts	28M	
	4.4."	2-11		2-1010	0.0 A 17	WLPSZSTKWH28FM1P	11 ″	Z-Fold	Form, Blank, One Blockout	28M	
Fold Check – 8.5" x						WLPSZSTKWH28FM0	11 ″	Z-Fold	Form, Blank, No Blockouts	28M	
Stock Proc	iran	n: 8.5	" x 14" Checks	and	Forms 🛛	NEW WLPSVSTKPCDBL	12″ x	V-Fold	2-Up Postcard, Blank	100#	
em Number		Fold Type		Paper			8.5″		-  - · · · · · · · · · · · · · · · · · ·	Tag	
LPSZSTK14WH	14″	Z-Fold	Form, Blank, Blockouts	28M			Sto	ck Ch	ecks and Forms		
LPSZSTK14VBL	14″	Z-Fold	Check Void Panto Blue	28TF	Blue 281	PMS 281 Blue	_		Prismatic (Blue	/ Red /	Blue)
						T WIS ZOT DILLE			Thomade (Dide /	ncu /	Diaci
LPSZSTK14VBY	14″	Z-Fold	Check Void Panto Burgundy	28TF	Burgundy 209				Process Blue / PN		

SLUCK CHE	SKS all
PMS 281 Blue	P
	P
PMS 208 Burgundy	Р

Prismatic (Blue / Green / Blue) 8 / PMS 293

PIV

Process Blue/

Process Blue

Red 185/

Blue 281

Teal 328 Process Blue/

Red 185/

Blue 281

**Reflex Blue** 

Reflex Blue

Burgundy 209

Blue 281

Process Blue

Burgundy 209

28TF

28TF

28TF

28M

28TF

28TF

28TF

28TF

28M

28TF

28M

28M

28M

28M

28TF

28TF

28TF

VIS 328 Teal				
	٧S	328	Teal	

PMS 293 /	PMS 328

Imprint
None
Black
Call for quote

#### **Return Envelope** With Extra Voucher

Slide Open





**ZX-Fold Check** 

8.5″ x 14″



C-Fold 8.5″ x 11″



Check Void Panto

Two Blockouts Blank Check with Backer,

Two Blockouts

Prismatic Blue/Red/Blue

Blank Check with Backer,

Form, Blank, No Blockouts

Check Void Panto Burgundy

Check Void Panto Blue

Check Void Panto Teal

Prismatic Blue/Red/Blue

Check Void Panto Blue Basic

Blank Check with Backer,

Form, Blank, Two Blockouts

Form, Blank, No Blockouts

Envelope, Two Blockouts Form, Blank, Return

Envelope, One Blockout Check Void Panto Blue,

Burgundy, Extra Voucher Blank Check w/ Backer,

2 Blockouts, Extra Vouc

Form, Blank, Return

Check Void Panto

Two Blockouts

Extra Voucher Check Void Panto

WLPSZSTK14BRB

WLPSZSTK14WHCK

WLPSZSTK14WHCKS

WLPSZSTK14WHFM0

WLPSEZSTK14VBL

WLPSEZSTK14VBY

WLPSEZSTK14VTL

WLPSEZSTK14BRB

WLPSEZSTK14VBLB

WLPSEZTK14WHCK

WLPSEZSTK14WHFM

WLPSEZSTK14WHFM0

WLPSECSTK14RE

WLPSECSTK14RE1P

WLPSZXSTK14VBL

WLPSZXSTK14VBY

WLPSZXSTK14WH

14

14

14

14

14″

14

14

14

14

14

14″

14

14

14

14

14

14

Z-Fold

Z-Fold

Z-Fold

Z-Fold

EZ-Fold

EZ-Fold

EZ-Fold

EZ-Fold

EZ-Fold

EZ-Fold

EZ-Fold

EZ-Fold

EC-Fold

EC-Fold

ZX-Fold

ZX-Fold

ZX-Fold

# **CUSTOMIZATION OPTIONS**

#### **Standard Plus Checks and Forms**

Select from 20 Free Ink Color options to create a unique look, or choose your own for a slight charge.



#### **Built-in Security Features**



Chemical Stain (24DC, 28TF): Sensitized paper reacts to chemical attempts to alter check.



Invisible Fluorescent Fibers in Paper (24DC, 28TF): Fibers in paper stock are revealed under a black light.



Microprinting Below Endorsement Area: Line copy reads "Original Document." When copied, the wording is not readable.



Padlock Icon: Indicates check meets industry standard security guidelines listed on back.



Screened Check Back: Deters duplication. Screen does not reproduce when copied.



Heat Sensitive Thermochromic Ink: Red key disappears when subject to heat or touch.



**TonerFuse**<sup>®</sup> (28TF): Prevents erasure and tampering with laser printed data.




Photocopy Void: The word "Void" will appear when photocopied.



Security Warning Band Border: The most popular security border available.



**Document Folding Patterns** 



### **Paper Weight & Features**

24DC	24# Appleton DocuCheck Basic Chemical Protection Paper Invisible Fluorescent Fibers
28TF	28# Appleton DocuCheck Basic Chemical Protection Paper Invisible Fluorescent Fibers TonerFuse®
28M	

#### **Quick Ship Schedule**

Order Quantity	Delivery Time
500 - 10,000	Stock: 24 hours Standard: 5 days Standard Plus: 7 days
10,000 - 25,000	Stock: 24 hours Standard: 10 days Standard Plus: 10 days
25,000 and up	Call for delivery

#### Weight Scale Per 1,000 Forms

Size.	Paper	Weight	Per Carton
11″	24#	14 lbs	2,000 / Carton
11″		16 lbs	2,000 / Carton
14″		20 lbs	1,000 / Carton

# LOW VOLUME APPLICATIONS



# **PSM1800**

The **PSM1800** makes pressure seal a viable option for small business. It brings all the pressure sealer capabilities to customers processing as few as 6,500 documents per year. It folds and seals all popular fold types with adjustable fold plates.

#### Features


- Bottom feed system
- Stainless steel rollers
- Variable sheet size
- Catch tray included

### Benefits

- Perfect for short run applications
- Secure document processing
- Improved productivity
- Simplicity of design
- Compact and durable without compromising throughput

Fixed Speed	1,800/hour
Duty Cycle	10,000 sheets/month
Fold Types (8½" x 11")	C, V, Z
Fold Types (8½" x 14")	Z, EZ
Paper Size	Up to 8½″ x 14″
Break-Even	6,500 documents/year
Catch Tray	Included
Size	12" H x 20" W x 16½" D
Weight	50 lbs.
Install	Phone install included
Warranty	6 months
vvallally	0 111011115

## **PSM1800 Specifications**



## The Business Challenge – Decentralize Printing

A national food processing company with multiple locations is looking for a method to streamline their decentralized payroll processing. Each location employs 125-300 people who are paid weekly. The annual time and cost associated with the current method of payroll is quite high and a major concern to management. Annually, it costs between \$1,900 to \$4,500 and takes 80-180 man-hours to process payroll for all locations.

As with any business, every cost reduction and time-savings, no matter how small, improves the overall health of a business, and this company is no different.


A pressure seal system seemed to be a natural fit but *other systems were cost prohibitive* and, because of the weekly payroll and the physical location of some facilities, a centralized method was not an option.

# The Solution

The **PSM1800** was introduced to this customer as the perfect solution to solve their payroll woes. Even their smallest operations were able to achieve a return on investment in *two years or less.* On average, across the entire network of food processing plants, the company saved 125 man-hours and \$1,800 each year by switching to the **PSM1800**.

Streamline your payroll... while saving time and money!

# LOW VOLUME APPLICATIONS



#### PSM3000/3000C Specifications

Fixed Speed	3,000/hour
Duty Cycle	25,000 sheets/month
Fold Types	C, V, Z, EZ, EC return envelope
Paper Size	Up to 8½″ x 14″
Counter (PSM3000C)	Included
Catch Tray	Included
Size	12″ H x 20″ W x 16½″ D
Weight	55 lbs.
Install	Phone install included
Warranty	6 months

## PSM3000 / PSM3000C


The **PSM3000** is an affordable desktop solution providing a good fit for small business looking to streamline their document processing. Designed for low volume mailings, this folder/sealer has a processing throughput of up to 3,000 forms per hour (PSM3000C includes counter).

#### **Features**

- Bottom feed system
- Stainless steel rollers
- Variable sheet size
- Catch tray included

#### **Benefits**

- Secure document processing
- Improved productivity
- Simplicity of design
- Compact and durable without compromising throughput



## The School Challenge – Improve Productivity

A high school needs a better processing method for the more than 2,700 grade reports they print and distribute to their students each quarter. Their *current method is mostly manual* with large time intervals where grade reports are not processed and visible to anyone visiting the office. *Confidentiality is a concern* to the school administration.

The school considered a pressure seal system that included a *top-feeding folder/sealer* with an input hopper of only 100 documents and a processing speed of 5,200 documents. Due to the low input hopper capacity, the folder/sealer would have to be stopped, loaded, and restarted 27 times (about once every minute) by the operator to complete the quarterly grade reports.

It was determined this system would do little to improve processing time or confidentiality because of the frequent stopping, loading, and restarting.

## The Solution

The **PSM3000** was presented to the school giving them exactly what they were looking for to *improve the grade reporting process*. All **PSM***ailers* utilize a *bottom-feed system*. Because there is *no need to stop the unit during the process*, grade reports are folded, sealed, and ready for distribution in about 30 minutes – *greatly improving processing times and student confidentiality*. All for *considerably less than a top-feeding system* without sacrificing any features!

Maintaining Confidentiality... to protect personal privacy!

# LOW / MEDIUM VOLUME APPLICATIONS



The **PSM5000** delivers unparalleled value to the pressure seal market. Ideal for small to midrange users, it includes an integrated conveyor output system to maintain document processing order. A digital counter with a batch-counting mode is provided for accurate record-keeping and document processing. The robust duty cycle, combined with the unique bottom feed system, enables maximum return on your investment dollars!

**PSM5000** 

#### **Features**


- Bottom feed system
- Integrated output conveyor
- Digital counter
- Variable speed control
- Stainless steel rollers

#### Benefits

- Secure document processing
- Improved productivity
- Simplicity of design
- Compact and durable without compromising throughput

### **PSM5000 Specifications**

Fixed Speed	5,000/hour
Duty Cycle	40,000 sheets/month
Fold Types	C, V, Z, EZ, EC return envelope
Paper Size	Up to 8½″ x 14″
Counter	Manual / Batch
Conveyor	18" conveyor included
Size	12″ H x 21½″ W x 30″ D
Weight	70 lbs.
Install	Phone install included
Warranty	6 months



## The Non-Profit Challenge – Control Costs, Improve Operations

This growing regional non-profit organization sees a bright future ahead as supporters continue to promote its cause and donations keep on growing. It continues to gain national exposure, which is great, but they need efficient office operations to handle their success. As non-profits go, *budgets and human resources are limited* and it needs an efficient method of processing contribution statements and solicitation mailings on a weekly basis.

This group began a search for a pressure seal system which could handle all of its operational needs now and for its increasingly busy future. Wanting to use its money wisely, an Internet search provided several options, but **PSM***ailers* stood out amongst them all because of its value and ability to help the non-profit grow well into the future.

## The Solution

The **PSM5000** is a compact unit with the versatility to distribute contribution statements to donors and solicit for new donations. With a duty cycle up to 40,000 sheets per month, it is the perfect size to handle all their requirements now and to also take them to the next level. **PSM***ailers* helped the non-profit refocus their resources efficiently and allowed the volunteers to focus on the people for whom their organization valiantly crusades.

Bridging the Gap... between today's needs and future requirements!

# **MEDIUM VOLUME APPLICATIONS**



The **PSM7000** is an integrated folder/sealer with an impressive 7,000 sheets per hour to satisfy even the tightest deadlines. The integrated conveyor output system helps move your forms in a seamless paper stream, while maintaining the processing order. The user-friendly, robust duty cycle makes the **PSM7000** attractive to medium volume, mid-sized organizations.

V-Fold

**PSM7000** 

#### Features

- Bottom feed system
- Integrated output conveyor
- Digital counter
- Variable speed control
- Stainless steel rollers
- Variable sheet size

#### **Benefits**

- Secure document processing
- Improved productivity
- Simplicity of design

**EC-Fold** 

Eccentric C-Fold

Compact and durable without compromising throughput

Z-Fold

<b>PSM7000 Specification</b>	S
------------------------------	---

Fixed Speed	7,000/hour
Duty Cycle	125,000 sheets/month
Fold Types	C, V, Z, EZ, EC return envelope
Paper Size	Up to 8½″ x 14″
Counter	Manual / Batch
Conveyor	18 " conveyor included
Size	12″H x 21½″W x 30″D
Weight	70 lbs.
Install	Phone install included
Warranty	6 months

## The City's Challenge – Duty Cycles

**C-Fold** 

**EZ-Fold** 

Eccentric Z-Fold

A Midwest city, with a population over 160,000 and more than 77,000 housing units, was *struggling* to get out their residents' monthly water bills. The city prints and mails more than 900,000 water bills annually, but only bills approximately one-quarter of their residents each week, totaling less than 18,000 invoices weekly.

The city *would like to purchase a folder/sealer* capable of processing their weekly volume in 3-4 hours and also handle their total annual volume. However, to get a folder/sealer capable of handling their annual volume, the city thought they would have to spend more than \$12,000, which is not in their budget.

# The Solution

The head of the water department, convinced a pressure seal was still the *best solution for the city*, refused to give up. Searching the Internet, she came across **PSM***ailers* and discovered there were several models featuring attractive duty cycles.

Knowing she finally found a line of equipment with robust duty cycles, she then focused on finding the best model to fit her requirements and budget. After careful consideration, she chose the **PSM7000** because it could process her weekly water bills in less than 3 hours, and also had the capability to handle their annual volume. Best of all, the **PSM7000** cost *half the price* of the competitors' models.

Need Robust Duty Cycles... there's a PSMailers model to fit your requirements!

# **HIGH VOLUME APPLICATIONS**

## PSM10K



The **PSM10K** is an integrated folder/sealer designed for organizations with high-volume applications. The integrated conveyor output system helps move your forms in a seamless paper stream, while maintaining the processing order.

#### Features


- Bottom feed system
- **36** *"* integrated output conveyor
- Digital counter
- Variable speed control
- Stainless steel rollers
- Variable sheet size

#### **Benefits**

- Secure document processing
- Improved productivity
- Simplicity of design
- Compact and durable without compromising throughput

Variable Speed	10,000/hour
Duty Cycle	200,000 sheets/month
Fold Types	C, V, Z, EZ, EC return envelope and custom folds
Paper Size	Up to 8½" x 14"
Counter	Manual / Batch
Conveyor	36 " hinged conveyor included
Size	12″ H x 21½″ W x 41″ D
Weight	75 lbs.
Install	Phone install included
Warranty	6 months

## **PSM10K Specifications**



## The Healthcare Challenge – Single Source

A healthcare insurance provider has been using a *pressure seal solution for nearly 21/2 years* to handle the burden of Explanation Of Benefits (EOB) and flexible spending account disbursement checks. However, the system is extremely *problematic*.

The insurance provider purchased the unit from one source that pieced the system together using various manufacturers and purchased the documents from a vendor who continually changes his source, which only compounds the problem. When the insurance provider needs help, the folder/sealer service technician blames the problem on the documents not the system. The documents vendor blames the folder/sealer manufacturer, and nothing ever gets resolved.

Tired of the finger-pointing, the frustrated insurance provider was ready to scrap the entire system and go back to their old method of stuffing and sealing envelopes.

## The Solution

A local **PSM***ailers* representative saved the day! A **PSM10K** was installed to replace their old folder/sealer. A fresh batch of **PSM***ailers* documents were ordered, produced, and shipped to replace the previous supply. And, most importantly, the insurance provider *eliminated all the finger-pointing* by choosing *a single source for their equipment and documents*. Now, if there's an issue and service is required, the insurance provider knows the entire **PSM***ailers* team will work together to remedy the situation and get them back to work!

A One-Source Solution... providing responsive aftermarket support!


# **SPECIALTY & IN-LINE MODELS**

### **PSM6400-4 Specifications**

Speed	Up to 65 pages per minute
Duty Cycle	Duty cycle of printer (4014, 4015, 4515)
Fold Types	C, Z, EZ
Paper Size	Up to 81⁄2" x 14"
Physical Connection	Aligns to rear output tray of HP LaserJet 4014/4015/4515 series printers
Engaging the Device	(4014/4015/4515TN require additional riser) Manual, connection when docked
Jam Recovery	Rollers have manual advance, access panels making media removal simple
Jet Link	Communications package stops printer if jam occurs
Power Requirement	100 to 127 Volt, 50/60Hz 200 to 240 Volt, 50/60Hz
Supported Printers	<ul> <li>HP LaserJet Series Printers: 4014, 4015, 4515</li> <li>6400: 4000, 4050, 4100</li> <li>6400-5: M601, M602, M603</li> </ul>
Size	$15"$ H x $15\frac{1}{2}"$ W x $19"$ D (output bin retracted) $16\frac{1}{2}"$ H x $15\frac{1}{2}"$ W x $21\frac{3}{4}"$ D (output bin extended)
Weight	50 lbs.
Install	Phone install included
Warranty	3 months

## **PSM6500 Specifications**

Fixed Speed	3,000 per hour
Duty Cycle	30,000 sheets/month
Fold Types	C, V, Z, EZ, EC
Paper Size	Up to 81⁄2" x 14"
Counter	Included
Size	18½″ H x 16¼″ W x 28″ D (with tray)
Weight	60 lbs.
Install	Phone install included
Warranty	3 months





## PSM6400-4

The **PSM6400-4** is a streamlined system bringing a superb costto-value ratio and delivering up to 65 mail-ready pieces per minute. By pairing with HP technology, the **PSM6400-4** also offers secure professional printing.

#### Features

- Automatically prints, folds and seals pressure seal documents
- Attaches easily to your HP LaserJet 4014, 4015, and 4515
- Up to 65 pages per minute printed, folded, sealed and ready to mail
- Professional results without the high costs

### Benefits

- Reduce operating costs
- Eliminate the cost of the inventory of envelopes
- Streamline your entire mailing process
- Secure document processing



## PSM6500

The **PSM6500** stand-alone folder/sealer system is ideal for small to midrange users. It folds and seals all popular fold styles eliminating folding, stuffing and sealing, all with no add-on parts or additional charges. The **PSM6500** can also be used as a folder to quickly prepare promotional materials or other office correspondence requiring a standard or windowed envelope.

**Benefits** 

#### Features

- Stainless steel rollers
- Variable sheet size
- Counter included
- Secure document processing
- No folding, stuffing, labeling, or sealing
- Fold and seal up to 3,000 pages per hour

#### EZ-Fold Eccentric Z-Fold

EC-Fold Eccentric C-Fold

